Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	136	(log with transaction) and ((replica\$3 or synchroniz\$5) same ((non\$relational or proprietary or object) with database) and (relational with database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR _	ON	2007/11/08 15:03
L5	88	4 and (plurality multiple) with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR -	ON	2007/11/08 15:03
L6	3	4 and ((plurality multiple) with server) same (relational with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 15:09
L7	5	Lin-chun-ching.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 15:12
L8	1	lo-shih-yung.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 15:12
S1	574	isam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 12:20
S2	234	S1 and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:10
S3	12	S2 and (transaction with log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2005/10/26 13:02

S4	16	S1 and (transaction with log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 13:02
S5	4	S4 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:32
S6	3809	proprietary and (relational with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:32
S7	1147	S6 and replicat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/10/26 14:32
S8	723	S7 and log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:32
S9	659	S8 and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:33
S10	1	S9 and (isam or "index sequential access method")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:35
S11	216	S9 and (replica\$4 with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 17:14

S12	56	S11 and (proprietary with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:37
S13	50	S12 and (data with replicat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:37
S14	216	S8 and (replica\$4 with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:37
S15	56	S14 and (proprietary with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:37
S16	. 50	S15 and (data with replicat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 16:32
S17	160	S14 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 16:32
S18	19	S17 and (replica\$4 with log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/10/26 16:45
S19	8	("5603024" "5778386" "5806075" " 5862054").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 16:54

S20	85	(replica\$4 with server) and (replica\$3 with log with (file or	US-PGPUB; USPAT;	OR	ON	2005/10/26 17:14
		transaction))	USOCR; EPO; JPO; DERWENT; IBM_TDB		·	
S21	23	S20 and (relational with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 18:36
S22	1	("5781910").PN.	USPAT; USOCR	OR	OFF	2005/10/26 18:37
S23	1	("5903898").PN.	USPAT; USOCR	OR	OFF	2005/10/26 18:40
S24	1	("5995980").PN.	USPAT; USOCR	OR	OFF	2005/10/26 18:43
S25	1	("6049809").PN.	USPAT; USOCR	OR	OFF	2005/10/26 18:44
S26	2	(("6321234") or ("6421686")).PN.	USPAT; USOCR	OR	OFF	2005/10/26 18:50
S27	430	(replica\$4 or synchroniz\$5) same (transaction with log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 20:15
S28	11314	"27" and (relational with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 20:16
S29	430	(replica\$4 or synchroniz\$5) same (transaction with log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 20:15
S30	57	isam and (relational with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 20:35

624		620 - 4 620	LIC DCCLIC	00	ON!	2005/10/20 20:10
S31	6	S29 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 20:16
S32	1	("6745206").PN.	USPAT; USOCR	OR	OFF	2005/10/26 20:18
S33	1	("6745209").PN.	USPAT; USOCR	OR	OFF	2005/10/26 20:18
S34	5	("5745753" "5884328" "5974574" "6122630" "6408310").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 20:20
S35	19	S30 and (replica\$4 or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 20:35
S36	13	S35 not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR :	ON	2005/10/26 20:50
S37	16078	(audit or log\$4) with transaction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 20:50
S38	331	S37 and (poll\$3 with transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 20:51
S39	2	S38 and isam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 20:51
S40	50	S38 and (index with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 20:52

S41	45	S40 and (replica\$4 or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 20:56
S43	16033	S37 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 20:55
S44	5256	S43 and (replica\$4 or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 20:56
S45	21	S44 and isam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 20:56
S46	72	isam with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 12:20
S47	24	S46 and replicat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 12:21
S48	. 18	S47 and log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 12:21
S49	189	(replicat\$3 with server) same log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:56

S50	71	S49 and (transaction with log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:56
S51	1	S50 and isam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:57
S52	10	S50 and (index with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:57
S53	13	S50 and (index same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:15
S54	917	promis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/10/28 15:22
S55	58	promis with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/10/28 15:15
S56	5	S55 and replicat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:17
S57	32	S54 and replicat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:18

	<u>,</u>			·	1	
S58	27	S57 not S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:18
S61	15805	("707").CLAS.	USPAT; USOCR	OR	OFF	2005/10/28 15:23
S62	1	S54 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:23
S63	3217	"audit log" "transaction log"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 18:23
S64	439	S63 and ((non\$relational with database) or (proprietary with system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 18:25
S65	408	S64 and transaction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 18:26
S66	120	S64 and (file with transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 18:27
S67	143	S64 and ((file document) with transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 18:27
S68	3	S67 and (chang\$3 or modify\$3) with (non\$realtional proprietary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 18:31

			r			
S69	42	S67 and (replication with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 18:32
S70	44	S67 and (replicat\$3 with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 18:40
S71	0	S70 and (replicat\$3 same (relation with database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 18:33
S72	31	S70 and (relation with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 18:33
S74	408	S64 not S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 18:40
S75	229	S74 and replicat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 18:41
S76	183	S75 and relational	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 18:41
S77	3	S76 and (log with (non\$relational or proprietary))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 11:53

S78	368	(log with transaction) and (replica\$3 or synchroniz\$5) and ((non\$relational or proprietary or object) with database) and relational	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:50
S79	101	S78 and (replica\$3 or synchroniz\$5) same relational	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 11:57
S80	66	S79 and (replicat\$3 synchroniz\$5) with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 11:57
S82	50	S80 and (file document) with transaction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:37
S83	1100	(disparate or heterogeneous) near3 database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:23
S84	20	S78 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:55
S87	47	S83 and (log with transaction) and (replica\$4 or synchroniz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:32
S88	3	S87 and (disparate or heterogeneous) near3 replica\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:24

S89	14	S87 and (replica\$5 near3 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:34
S90	110	(log with transaction) and ((replica\$3 or synchroniz\$5) same ((non\$relational or proprietary or object) with database) and relational)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 15:02
S91	43	S90 and (replica\$5 near3 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:52
S92	141	(transaction near3 log) same (sequence with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 19:28
S93	23	S92 and (retriev\$3 with number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 19:29
S94	. 1	("6826540").PN.	USPAT; USOCR	OR	OFF	2007/11/07 18:55
S95	1	("6993495").PN.	USPAT; USOCR	OR	OFF	2007/11/08 11:53
S96	6040	replicat\$3 with servers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:53
S97	126	replicat\$3 with servers same ("relational database")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:54

S98	0	S97 and (updat\$3 same (parallel with servers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:55
S99	6724	(707/8,10,201).CCLS.	USPAT; USOCR	OR	OFF	2007/11/08 11:55
S10 0	13	S97 and S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:58
S10 1	13	S100 and updat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:03
S10 2	12	S100 and updat\$3 same "relational database"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:12
S10 3	34	S97 and (updat\$3 same "relational database" same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:13
S10 4	11	S103 and (transaction with log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:24
S10 5	8	S103 and (updat\$3 with more with servers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:25